

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

Claim 1 (Currently Amended): A method for providing a virtual namespace for a compute capsule, comprising:

assigning a virtual token to a resource within said compute capsule, said resource being of an underlying machine and capable of being named by said compute capsule, said compute capsule being configured to provide an encapsulated form that is capable of being moved between computers without restriction, the computers associated with different physical devices;

interposing a name translator between said resource and said compute capsule;

binding said resource to said virtual token with a name translation table persistently stored within said compute capsule in a manner transparent to an application level; and

translating said virtual token into said resource using said name translator, if the compute capsule names said resource, wherein the translating is transparent to both an operating system level and the application level. any application running on the underlying machine.

Claim 2 (Currently Amended) The method of claim 1 wherein said name ~~translator is a hash table~~ translation table provides transparent mobility of a computing environment by being mapped to new machine-local values if said compute capsule is moved to another host.

Claim 3 (previously presented): The method of claim 1 wherein said virtual token is only identifiable from within said compute capsule.

Claims 4-6 (canceled)

Claim 7 (previously presented): The method of claim 1 further comprising:  
  
controlling access to said compute capsule.

Claim 8 (Currently Amended): A virtual namespace for a compute capsule comprising:  
  
a virtual token configured to represent a resource within said compute capsule, said resource not being shared with other compute capsules, said resource being of an underlying machine and capable of being named by said compute capsule, said compute capsule being configured to provide an encapsulated form that is capable of being moved between computers without restriction, the computers associated with different physical devices;

a name translator configured to be interposed between said resource and said compute capsule;

a binder configured to bind said resource to said virtual token ~~in a manner transparent to an application level~~, the binder persistently stored within said compute; and

a translator configured to translate said virtual token into said resource using said name translator, if the compute capsule names said resource, wherein translation through the translator is transparent to both an operating system level ~~and the application level~~ any application running on the underlying machine.

Claim 9 (Currently Amended) The virtual namespace of claim 8 wherein said-name translator ~~is a hash table~~. binder provides transparent mobility of a computing environment by being mapped to new machine-local values if said compute capsule is moved to another host.

Claim 10 (previously presented): The virtual namespace of claim 8 wherein said virtual token is only identifiable from within said compute capsule.

Claims 11-13 (canceled)

Claim 14 (previously presented): The virtual namespace of claim 8 further comprising:  
an access control list for controlling access to said compute capsule.

Claim 15 (Currently Amended): A computer program product comprising:  
a computer usable medium having computer readable program code embodied therein  
configured to provide a virtual namespace for a compute capsule, said computer program  
product comprising:

computer readable code configured to cause a computer to assign a virtual token to a  
resource within said compute capsule, said resource being of an underlying machine and capable  
of being named by said compute capsule, said compute capsule being configured to provide an  
encapsulated form that is capable of being moved between computers without restriction, the  
computers associated with different physical devices;

computer readable code configured to cause a computer to interpose a name translator  
between said resource and said compute capsule;

computer readable code configured to cause a computer to bind said resource to said  
virtual token ~~in a manner transparent to an application level~~ with a name translation table  
persistently stored within said compute capsule; and

computer readable code configured to cause a computer to translate said virtual token  
into said resource using said name translator, if the compute capsule names said resource,  
wherein translation is transparent to both an operating system ~~level and the application level~~. any  
application running on the underlying machine.

Claim 16 (Currently Amended) The computer program product of claim 15 wherein said name ~~translator is a hash table~~: translation table provides transparent mobility of a computing environment by being mapped to new machine-local values if said compute capsule is moved to another host.

Claim 17 (previously presented): The computer program product of claim 15 wherein said virtual token is only identifiable from within said compute capsule.

Claims 18-20 (canceled)

Claim 21 (previously presented): The computer program product method of claim 15 further comprising:

computer readable code configured to cause a computer to control access to said compute capsule.

Claim 22 (previously presented): The method of claim 1, wherein said compute capsule encapsulates an active computing environment.

Claim 23 (previously presented): The method of claim 22, wherein said active computing environment includes one or more processes and state information that allows said compute capsule to be suspended and revived on a binary compatible machine.

Claim 24 (previously presented): The method of claim 1, wherein said resource is defined by one or more of a file, a processor, a memory, and an attached device.

Claim 25 (original): The method of claim 1, wherein said compute capsule is configured to communicate with processes outside said compute capsule through Internet sockets and globally shared files.

Claim 26 (original): The method of claim 1, wherein said compute capsule is configured to provide an encapsulated form that is independent of configuration settings of a host system.